- Pulich, W.M. 1980. A Thayer's Gull specimen from Texas: a problem in identification. Southwestern Nat. 25:257-282.
- Smith, N.G. 1966. Evolution of some Arctic gulls (*Larus*): an experimental study of isolating mechanisms. Ornith. Monog. No. 4. Amer. Ornith. Union.
- Sutton, G.M., and D.F. Parmelee. 1978. On maturation of Thayer's Gull. Wilson Bull. 90:479-491.
- Weber, J.W. 1981. The *Larus* gulls of the Pacific Northwest's interior, with taxonomic comments on several forms (Part I). Continental Birdlife 2:1-10.
- 1412 Shepard Street, Morehead City, N.C. 28557; Department of Biology, Utah State University, Logan, Utah 84322; and Department of Zoology, Clemson University, Clemson, S.C. 29631

Corrections

Two plants were incorrectly identified in the report on the "Third Annual Breeding Bird Forray: Hoke County, N.C." by Clark and Potter (Chat 46:29-37). On page 30, Fetterbush should be *Leucothoe racemosa*, and Slender Clubmoss should be *Lycopodium appressum*. The authors thank Jay Carter for bringing these errors to their attention.

Additional Cowbird Host for Carolinas

The Black-throated Green Warbler should be added to the list of host species for the Brown-headed Cowbird in the Carolinas (Potter and Whitehurst, Chat 45:57-68). Meanley (Raven 48:19) reports that a female was "observed building a nest in an American holly in the North Carolina section of the [Dismal] Swamp on 17 April, 1970; on 29 April, it contained two eggs of the warbler and one of a Brown-headed Cowbird."