Spring 2004 North American Migration Count in South Carolina

Bob Ellis

2402 Glenwood Road, Columbia, SC 29204 Ellis 29205@aol.com

The Spring 2004 North American Migration Count was held on 8 May 2004, and 85 parties of 148 individuals in 17 counties across the Palmetto State observed 38,213 individual birds of 211 species. Temperatures ranged from 60 to 90 degrees, cloud cover ranged from none to 30 percent, winds ranged from 0 to 10 miles per hour, and no rain fell. In short, the birders had a beautiful spring day.

Notable among the birds were the Wood Warblers, many of which were undoubtedly migrants. Twenty-three of the 35 regularly occurring warblers were found, with high numbers of species that regularly breed here: Northern Parula (312), Pine (224), Prothonotary (110), Common Yellowthroat (187), and Yellow-breasted Chat (156). None of the regularly occurring spring migrating warblers went uncounted.

Birds found in only one county included Mute Swan, Gadwall, Bluewinged Teal, Northern Shoveler, Lesser Scaup, Hooded Merganser, Ruddy Duck, Horned Grebe, Northern Gannet, Merlin, Sora, Purple Gallinule, American Oystercatcher, American Avocet, Red Knot, White-rumped Sandpiper, Pectoral Sandpiper, Stilt Sandpiper, Long-billed Dowitcher, Sandwich Tern, Common Raven, Marsh Wren, Blackburnian Warbler, and Baltimore Oriole.

Species reported in every county included Black Vulture, Turkey Vulture, Mourning Dove, Yellow-billed Cuckoo, Great Crested Flycatcher, American Crow, Tufted Titmouse, Carolina Wren, Blue-gray Gnatcatcher, Pine Warbler, Eastern Towhee, Northern Cardinal, Indigo Bunting, and Common Grackle.

The counties with the three highest species counts were Charleston (129), Georgetown (115), and Jasper (114).

County Summaries

Aiken County: 112 species, 2860 individuals.

Coordinator: Anne Waters

1621 Apple Valley Drive Augusta, GA 30906 706-793-2788

Participants: Lee Dane, Adrienne DeBiase, Carol Eldridge, Larry Eldridge, Judy Gregory, Gene Howard, Christine Huzella, Paul Koehler, Lois Stacey, Anne Waters, Calvin Zippler.

Aiken's exclusive was Hooded Merganser, and Aiken was one of only two counties to report American Pipit.

Beaufort County: 75 species, 1070 individuals.

Coordinator: Patricia Metz

7 Beneta Court Savannah, GA 31406

Savannah, GA 3140

912-652-4415

Participants: Clem Dietz, Mary Bess Mulhollan, Paige Mulhollan, Tim White

Beaufort's half-day count turned up an impressive 75 species, including several warbler species, among which were American Redstart and Swainson's Warbler.

Calhoun County: 90 species, 978 individuals.

Coordinator: Tim Kalbach

105 Woodland Drive Lexington, SC 29072

803-767-0795

Participants: Tim Kalbach

Tim Kalbach's one-man show netted 90 species, including 14 species of warblers. The observer also noted a Grasshopper Sparrow in Calhoun County one day after the official count.

Charleston County: 129 species, 5110 individuals.

Coordinator: Perry E. Nugent

2260 N. Dallerton Circle Charleston, SC 29414

Participants: Barbara Born, Ron Born, Edward Conradi, Sandra Conradi, Ann Kent, Joan Hylander, Perry Nugent, Allen Russell, Joe Stevenot, Martha Stevenot, Betty Zimmerman

Charleston had five exclusives – Horned Grebe, Northern Gannet, American Oystercatcher, Red Knot, and Marsh Wren. Charleston also topped the chart in number of species, with impressive numbers of Great Egret (371), Red Knot (310), Laughing Gull (305), Great Crested Flycatcher (189), Tree Swallow (202), Northern Parula (101) and others.

Cherokee County: 77 species; 1212 individuals.

Coordinator: Lyle Campbell

126 Greengate Lane Spartanburg, SC 29304

864-585-1228

Participants: Claude Cobb, Jr., Claude Cobb, Sr., Ken Garrett, Carolyn Haynes, J. B. Hines, Karla Lavender, Maxi Nix, Deedee Parker, Tina Pearsall, Adam Simmons, David Simmons, Roslyn Simmons

One of only two counties to report lingering Purple Finches, Cherokee had one. And the Upstate county was one of only three counties to locate Eastern Screech-Owl and Sharp-shinned Hawk.

Chester County: 66 species; 599 individuals.

Coordinator: Gary Sowell

140 Sweetwater Drive Hopkins, SC 29061 803-776-2650

Participants: Mary Brown, Marion Clark, Nancy Lyman, Faye Metzl, Irvin Pitts, Gary Sowell, Alice Vaughn

Chester was the only non-coastal county to report Caspian Tern, and the county had good representation of Wood Warblers, including Northern Parula, Yellow, Yellow-throated, Pine, Blackpoll, Black-and-white, American Redstart, Prothonotary, Ovenbird, Louisiana Waterthrush, Kentucky, and Yellow-breasted Chat.

Clarendon County: 55 species; 452 individuals.

Coordinator: Mike Turner

Columbia, SC

Participant: Mike Turner

In another one-man show, Mike Turner, in a mere four afternoon hours, located 55 species, all in the Pine Island Unit of Santee National Wildlife Refuge. He found the day's only Merlin and saw eight Boat-tailed Grackles, a rare sighting inland.

Georgetown County: 115 species; 1856 individuals.

Coordinator: Jack Peachey

103 Walnut Circle Conway, SC 29526 843-347-5810

Participants: Dave Gustafson, Jack Peachey, Gary Phillips, Evie Schwarz, Erik Smith, Alice Vivian, Hal Vivian

Georgetown took second spot for total number of species. Among its 115 species, Georgetown had three exclusives: Mute Swan (1), White-rumped Sandpiper (2), and Sandwich Tern (15). The county had high numbers of Semipalmated Plover (290), Dunlin (160), and Tree Swallow (206).

Greenville County: 113 species; 3086 individuals.

Coordinator: Peter L. Worthington

716 N. Almond Drive Simpsonville, SC 29681

864-967-4183

Participants: Jeff Catlin, Preston Davies, Harry Davis, Len Kopka, Jane Kramer, Barbara Maxwell, Eric McFalls, Hilda Reese, Linda Sharp, Mac Sharpe, Donna Slyce, Judy Webb, Peter Worthington

Greenville was the only county to have Common Raven. Additionally, the county scored well with Wood Warblers, including Northern Parula, Chestnut-sided, Cape May, Black-throated Blue, Yellow-rumped, Black-throated Green, Yellow-throated, Pine, Prairie, Blackpoll, Black-and-white, American Redstart, Worm-eating, Swainson's, Ovenbird, Louisiana Waterthrush, Common Yellowthroat, Hooded, and Yellow-breasted Chat.

Hampton County: 74 species; 659 individuals.

Coordinator: Carroll Richard

PO Box 893

Hampton, SC 29924 803-943-4661

Participants:

Hampton was one of only two counties to score Glossy Ibis, had the highest number of Purple Martins (97), and was one of only three counties to report Bachman's Sparrow (3).

Jasper County: 114 species; 11,737 individuals

Coordinator: Patricia Metz

7 Beneta Court Savannah, GA 31406

912-652-4415

Participants: Patty Adamcak, Steve Calver, Karen Grainey, Steve Livingston, Bill Lotz, Alex McClelland, Carol McClelland, John Metz, Patricia Metz, Tim Miller, Joyce Murlless, Brendan Shea, Andy Ward, Mark Welford

Access to the Savannah River Spoil Site paid off for Jasper County, where 10 exclusives were found: Gadwall (1), Blue-winged Teal (2), Northern Shoveler (7), Ruddy Duck (154), Sora (2), Purple Gallinule (4), American Avocet (74), Pectoral Sandpiper (1), Stilt Sandpiper (52), and Long-billed Dowitcher (5). Jasper also had large numbers of several species, including Snowy Egret (409), White Ibis (165), Common Moorhen (269), Semipalmated Plover (379), Black-necked Stilt (158), Semipalmated Sandpiper (7100), Dunlin (381), Cedar Waxwing (255), Bobolink (203), and Red-winged Blackbird (427).

Lancaster County: 59 species; 277 individuals.

Coordinator: Gary Sowell

140 Sweetwater Drive Hopkins, SC 29061 803-776-2650

Participants: Scott Fletcher, Sarah Fletcher, Gary Sowell, Nancy Lyman

Lancaster observers noted two Herring Gulls, making Lancaster one of only two counties to report the species. The Lancaster count was a morning outing, with 3 hours spent in a canoe on the Lancaster side of the Catawba River.

Lexington County: 78 species; 1066 individuals.

Coordinator: Molly Bonnell

202 Cannon Trail Lexington, SC 29073

803-359-6280

Participants: Molly Bonnell, Andrea Ceselski, Barbara Darden

The count's only all-female team located one of only three Cooper's Hawks, one of only three American Kestrels, and one of only three Cape May Warblers.

Pickens County: 101 species; 828 individuals

Coordinators: Bob Ellis

2402 Glenwood Road Columbia, SC 29204 803-790-1549

Participants: Bob Ellis, Steve Patterson

Pickens County held the day's only Baltimore Oriole and 18 species of Wood Warbler: Northern Parula (7), Yellow (1), Black-throated Blue (4), Yellow-rumped (1), Black-throated Green (7), Pine (4), Prairie (2), Baybreasted (3), Blackpoll (1), Black-and-white (1), American Redstart (2), Worm-eating (2), Swainson's (5), Ovenbird (11), Louisiana Waterthrush (3), Common Yellow-throat (4), Hooded (6), and Yellow-breasted Chat (4).

Richland County: 104 species; 1142 individuals.

Coordinator: Robin Carter

4165 East Buchanan Drive Columbia, SC 29206 803-782-8820

Participants: Robin Carter, Caroline Eastman

The Richland team has the distinction of starting earliest, at 3:30 AM, which paid off in terms of nocturnal species: Great Horned Owl (1), Barred Owl (3), Chuck-will's-widow (1), and Whip-poor-will (6). Richland also tallied the only Blackburnian Warbler of the day.

Spartanburg County: 106 species; 3475 individuals.

Coordinator: Lyle D. Campbell

126 Greengate Lane Spartanburg, SC 29307

864-585-1228

Participants: Gloria Anderson, Laura Bannon, Susan Bennett, Tim Brown, Herschel Browne, David Byrd, Dawn Byrd, Lewanna Caldwell, Lyle Campbell, Sarah Campbell, Dan Codispoti, Elaine Collins, Roy Fowler, Pat Fowler, Dennis Funk, Onoosh Gahagan, Ron Gahagan, Linda Ginn, Alan Gray, Becky Gray, John Green, Emma Harrington, Alice Henderson, Betty Howard, Jessie Ivy, Connie Jenne, Ron Jenne, Jack Jennings, Joel Jones, Herb Kay, Lisa Lever, Janet Ludwick, Lillian Marotte, Mickey Marotte, Jim Miller, Margaret Miller, Moss Miller, Sam Miller, Virl Momier, Bill Moody, Mary Ann Myers, Nancy Owen, Bob Powell, Sandra Powell, Eva Pratt, Sam Pratt, Doug Rayner, Kyle Rollins, Bob Scott, Mack Shealy, Laurel Sullivan, Tina Taylor, Gerald Thurmond, M. B. Ulmer

Spartanburg's statistics include high counts for Canada Goose (146), Mallard (90), Red-tailed Hawk (16), Spotted Sandpiper (7), Eastern Phoebe (39), American Crow (140), Barn Swallow (131), Carolina Chickadee (82), Tufted Titmouse (95), Eastern Bluebird (91), American Robin (132),

Northern Mockingbird (102), and Northern Cardinal (205). Spartanburg also reported 24 lingering Purple Finches.

Sumter County: 80 species; 1806 individuals.

Coordinator: Lloyd Moon

6150 Brookland Drive Sumter, SC 29154 803-494-3234

Participants: Evelyn Dabbs, Kathleen Mallard, Lloyd Moon, Ward Moon Sumter was the only county to have Lesser Scaup for the day. And the county distinguished itself with high numbers of Cattle Egret (112), Eurasian Collared-Dove (60), Mourning Dove (205), Eastern Kingbird (50), and Common Grackle (262).

Table 1. North American Migration Count in South Carolina 8 May 2004

	Aiken	Beaufort	Calhoun	Charleston	Cherokee	Chester	Clarendon	George- town	Greenville	Hampton	Jasper	Lancaster	Lexington	Pickens	Richland	Spartan- burg	Sumter	Total Individuals	# Counties Reporting
Canada Goose	58		9	3	9	7		2	83			1	20	23	30	146	105	496	13
Mute Swan								1										1	1
Wood Duck	43	2	2	15	2		6		3	2	67		16	2	1	40	25	226	14
Gadwall	•										1							1	1
American Black Duck	2 22							•	00	_	4-				•	2	40	4	2
Mallard	22			1		4		3	32	2	17 40		4	1	8	90	12	196 44	12 3
Mottled Duck				2				2										2	3
Blue-winged Teal Northern Shoveler											2							7	1
Lesser Scaup											′						1	1	1
Hooded Merganser	1																•	1	1
Red-breasted Merganser	•							1								1		2	2
Ruddy Duck											154							154	1
Wild Turkey	9		1	3	5			4	6			1				22 10	5 3	56	9
Northern Bobwhite	10		3		10		1		10	6	2		1	1	2	10	3	59	12
Pied-billed Grebe				6					1	1			1					9	4
Horned Grebe				4														4	1
Northern Gannet				2														_2	1
Brown Pelican	0		0	66			,	0			8 47	07					4.4	74	2 12
Double-crested Cormorant	3	13	3	8 26	1	4	10	3		1 5	19	27					14 24	113 104	9
Anhinga Least Bittern	3	2	3	20 1			10	'		5	3						24	8	4
Great Blue Heron	10	9	2	12	2		6	3	6	5	7		4	6	4	17	11	104	15

	Aiken	Beaufort	Calhoun	Charleston	Cherokee	Chester	Clarendon	George- town	Greenville	Hampton	Jasper	Lancaster	Lexington	Pickens	Richland	Spartan- burg	Sumter	Total Individuals	# Counties Reporting
Sora Purple Gallinule Common Moorhen American Coot Black-bellied Plover Wilson's Plover Semipalmated Plover Killdeer American Oystercatcher Black-necked Stilt American Avocet Greater Yellowlegs Lesser Yellowlegs Lesser Yellowlegs Solitary Sandpiper Willet Spotted Sandpiper Whimbrel Ruddy Turnstone Red Knot Sanderling Semipalmated Sandpiper Western Sandpiper Least Sandpiper White-rumped Sandpiper Peep sp. Pectoral Sandpiper Dunlin Stilt Sandpiper	1 12 8 3 5	23 120 1 4 20 1 6	5	28 40 4 3 23 33 2 12 35 2 310 3	26	3		2 34 290 6 4 21 7 10 3 28 8 55 26 2	11 1 4	2	2 4 269 9 10 1 379 15 158 74 12 60 12 9 2	3	2	10 1 2	12	1	4	2 4 331 49 48 4 814 152 2 162 74 42 79 27 31 32 63 10 310 73 7158 2 269 2 6 1 1557 557	1 1 7 2 3 2 6 1 5 1 2 1 3 6 6 3 9 2 2 1 2 3 2 6 1 1 1 3 1

	Aiken	Beaufort	Calhoun	Charleston	Cherokee	Chester	Clarendon	George- town	Greenville	Hampton	Jasper	Lancaster	Lexington	Pickens	Richland	Spartan- burg	Sumter	Total Individuals	# Counties Reporting
Short-billed Dowitcher Long-billed Dowitcher Dowitcher sp. Laughing Gull Ring-billed Gull Herring Gull Gull-billed Tern Caspian Tern Royal Tern Sandwich Tern Forster's Tern		1		305 19 1 1 15		1	5	13 25 31 16 4 1 21 2 15 50		1	6 5 84 8 6 72 19	2	10				2	19 5 109 350 54 6 74 42 17 15 62	2 1 2 5 6 2 3 4 2 1 4
Least Tern Black Skimmer Rock Pigeon	17		1	18 18 4	3	20		8 24 1	39	6	42 4 29		6	19	28	13	60	70 46 246	4 3 14
Eurasian Collared-Dove	4		·	3		20		3		5					1	.0		16	5
Mourning Dove Common Ground-Dove	103	12	16	77	81	4	19	39	165	39	38 3	2	77	35	33	190	205	1135 5	17 2
Yellow-billed Cuckoo Barn Owl	18	5	3	23 4	1	1	2	16	6	1	3	2	2	7	5	5 1	5	105 5	17 2
Eastern Screech-Owl Great Horned Owl Barred Owl Common Nighthawk	1 3 10			3 12	1				3	1	7		3	2	1 3 2 1	6 2 9 11	1	15 11 39 25	6 5 7 6
Chuck-will's-widow Whip-poor-will	25 4		40	5	1 4	4-		2	4 2	2			3	3	6	9	1	56 22	11 6
Chimney Swift Ruby-throated Hummingbird Belted Kingfisher	24 14 4	1	12 3 2	10 11 9	30 1 1	17 2	2	12 19	142 17 3	15 5	57 2	4	21 6	21 4 3	31 3	69 31 11	72 7 1	537 128 38	15 16 9

	Aiken	Beaufort	Calhoun	Charleston	Cherokee	Chester	Clarendon	George- town	Greenville	Hampton	Jasper	Lancaster	Lexington	Pickens	Richland	Spartan- burg	Sumter	Total Individuals	# Counties Reporting
				3	(D		ž		O	_		4						S	C C
Red-headed Woodpecker	9	5	7	1		_		7		7		4		3	2	5		50	10
Red-bellied Woodpecker	49	24	8	33	9	5	1	18	43	5	5		16	4	10	42	5	277	16
Yellow-bellied Sapsucker	1															5		6	2
Downy Woodpecker	12	2	2	11	1	3		3	24			2	4	3	5	20	2	94	14
Hairy Woodpecker	3								1						2	1		7	4
Red-cockaded Woodpecker				1				4										5	2
Northern Flicker	3	1	2		3			1	2	1			3	1	1	9		27	11
Pileated Woodpecker	13	2	2	16	2		1	1	16	1		2	3	1	4	13	2	80	15
Eastern Wood-Pewee	19	1	19	49	1	2	2	11	8	3	1		12	5	6	3		142	15
Acadian Flycatcher	29		8	16	1	3	1	4	17			2	1	12	7	6		107	13
Eastern Phoebe	3		2		6	2			21				6	6	2	39		87	9
Great Crested Flycatcher	49	26	24	189	2	4	3	23	23	10	4	12	29	7	19	15	13	452	17
Eastern Kingbird	26	1	25	18	7	3	25	5	20	15	18		31	15	11	24	50	294	16
Loggerhead Shrike	1								2	1			1		2	1	6	14	7
White-eyed Vireo	49	8	18	32	3	1	1	8	2	2	1	2	10	4	10	2		153	16
Yellow-throated Vireo	10		2	8	1	1			1						3	3		29	8
Blue-headed Vireo								4	30			2		2				38	4
Red-eyed Vireo	48	4	16	12	5	16	2	8	98		4	28	14	30	20	50		355	15
Blue Jay	34	13	19	44	79	12		13	138	9	2	5	26	8	10	136	11	559	16
American Crow	113	20	16	12	38	9	25	14	109	10	11	5	31	22	11	140	7	593	17
Fish Crow	14	1	10	28		2	5	4	2	12		3	2	1	7		9	100	14
Crow sp.				40		5				26		1		19			60	151	6
Common Raven									6									6	1
Horned Lark			1												1		13	15	3
Purple Martin		3	29	36	12	8	15	1	2	97	2		14	7	45	64	8	343	15
Tree Swallow				202			2	206	3	5	76			2			2	498	8
Northern Rough-winged	8	1	6	1	2	4			9	3	3		9	8	29	2	6	91	14
Swallow																			

	Aiken	Beaufort	Calhoun	Charleston	Cherokee	Chester	Clarendon	George- town	Greenville	Hampton	Jasper	Lancaster	Lexington	Pickens	Richland	Spartan- burg	Sumter	Total Individuals	# Counties Reporting
Bank Swallow									1						30			31	2
Cliff Swallow						235						10		4		200		449	4
Barn Swallow	4		12	111	47	1	5	41	75	19	12		14	78		131	46	596	14
Carolina Chickadee	53	26	3	44	6	12	3	8	69	2		12	25	8	16	82	7	376	16
Tufted Titmouse	71	28	22	80	9	9	4	18	74	5	9	16	36	14	33	95	11	534	17
White-breasted Nuthatch		2	0	0.5	_			2	10				1	4	3	7	4	33	8
Brown-headed Nuthatch	11	16	2 33	25	2	1	_	2	11	•	0.5	_	11	5	2	17	40	105	12
Carolina Wren House Wren	95	34	33	94	11	8	9	16	72	6	25	7	45	4	23	95 22	12	589 31	17 3
Marsh Wren				61					′							22		61	3
Ruby-crowned Kinglet				01					1						1	1		3	3
Blue-gray Gnatcatcher	47	10	22	79	8	14	14	26	41	7	17	14	20	11	15	38	7	390	17
Eastern Bluebird	42	20	6	33	32	5	14	11	82	21	17	14	24	21	13	91	5	396	16
Veerv	72	20	J	55	52	J	'		3	- 1	'		27	3	1	31	3	7	3
Swainson's Thrush									7					Ŭ	8			15	2
Hermit Thrush									2					1	ŭ			3	2
Wood Thrush	4		5	2	2				25			4	6	4	6	5		63	10
American Robin	11		1	2	89	1			148	1			16	24	61	132	4	490	12
Gray Catbird	15	3	1		4			2	13	7	16	1	8	3	4	20	9	106	14
Northern Mockingbird	82	1	13	27	78	16		28	79	37	31	1	85	32	72	102	35	719	16
Brown Thrasher	16		6	18	10		1	14	39	4	17		20	5	7	56	9	222	14
European Starling	43		6	19	84	11		18	75	6	1		15	51	7	91	119	546	14
American Pipit	19																12	31	2
Cedar Waxwing	63	12	3		47	22		5	132		255		15	23	12		9	633	13
Northern Parula	86	13	19	101	2	10	1	7	10		1	12	7	5	15	22	1	312	16
Yellow Warbler	1				1	1					2	1		1				7	6
Chestnut-sided Warbler									1						,	3		4	2
Cape May Warbler									1				1		1			3	3

	Aiken	Beaufort	Calhoun	Charleston	Cherokee	Chester	Clarendon	George- town	Greenville	Hampton	Jasper	Lancaster	Lexington	Pickens	Richland	Spartan- burg	Sumter	Total Individuals	# Counties
Black-throated Blue Warbler Yellow-rumped Warbler					3				17 11		1		1	4	8 5	1 3		31 24	5 6
Black-throated Green Warbler									32					7				39	2
Blackburnian Warbler Yellow-throated Warbler	7	E	2	33		0	4	8	1		4				1 5	0	4	1 82	1 12
Pine Warbler	37	5 22	3 15	33 47	4	8 5	1 5	7	22	1	7	6	16	1	10	9 15	1	o∠ 224	17
Prairie Warbler	5	22	5	19	7	3	J	4	3	'	'	4	10	2	4	13		46	8
Bay-breasted Warbler	Ŭ							1	Ů			·		3	•			4	2
Blackpoll Warbler						2			1		2		1	1	1			8	6
Black-and-white Warbler	1					3			8		2	1	2	1	4	3		25	9
American Redstart	9	1	5			3		2	20			3	2	2	6	4		57	11
Prothonotary Warbler	29		3	22		9	3	10		1		14	2		8	2	7	110	12
Worm-eating Warbler					1			1	21					2				25	4
Swainson's Warbler	3	1	4					1	3				_	5	2	1		20 35	8 8
Ovenbird Northern Waterthrush	2		1			1			8		5		6	11	0	1		13	4
Louisiana Waterthrush	6		1			2			2		Э	5		3	ე 1	4	1	29	9
Kentucky Warbler	12		3	5		1			3			3		3	3	3	•	27	6
Common Yellowthroat	16	2	5	70	2	'	10	4	12	1	33		3	4	12	13		187	14
Hooded Warbler	2		8	16	1			5	42	i		2	2	6	1	1		86	11
Yellow-breasted Chat	29		21	40	6	1	6	5	5	2	18	1	_	4	5	13		156	14
Summer Tanager	53	13	12	160		5	2	12	2	2	4	7	17	1	12	18	5	325	16
Scarlet Tanager				1		1			33			1		7	1	6		50	7
Eastern Towhee	70	18	18	80	22	4	4	8	64	8	26	4	35	10	13	45	2	431	17
Bachman's Sparrow	11			4						3								18	3
Chipping Sparrow	5		19	1	12			4	16				13	13	3	19	3	108	11
Field Sparrow	5		6	_					13		40	3		1	1	23		52	7
Savannah Sparrow			1	3							12							16	3

	Aiken	Beaufort	Calhoun	Charleston	Cherokee	Chester	Clarendon	George- town	Greenville	Hampton	Jasper	Lancaster	Lexington	Pickens	Richland	Spartan- burg	Sumter	Total Individuals	# Counties Reporting
Grasshopper Sparrow					3				6							5		14	3
Song Sparrow									12			1		5		18		36	4
Swamp Sparrow				2					_		1			1		40		4	3
White-throated Sparrow	3			91					7					4		19		120 8	4 2
Dark-eyed Junco Northern Cardinal	275	80	22	138	40	12	9	43	147	28	48	9	88	13	54	205	58	1269	17
Rose-breasted Grosbeak	2/3	00	22	130	40	12	9	43	9	20	40	2	00	13	1	205	56	1209	4
Blue Grosbeak	32	1	22	8	8		6	4	2	3	3	_	7	6	5	7	11	118	14
Indigo Bunting	95	2	51	70	9	8	1	6	81	1	17	3	14	16	21	47	6	448	17
Painted Bunting	2	29	24				6	1		5	30				4		1	129	10
Bobolink	6		150								203			1	80	8	105	553	7
Red-winged Blackbird	70	38	10		42		100	20	40	18	427		19	8	12	44	36	1359	15
Eastern Meadowlark	13		5		88				33					10	1	14	8	172	8
Common Grackle	91	3	16		94	4	25	7	134	31	6	2	31	15	40	79	262	1041	17
Boat-tailed Grackle		25		75			8	49		4	135	_			_			296	6
Brown-headed Cowbird	23	13	10		3	3	6	13	19		11	2	14	11	5		12	187	16
Orchard Oriole	8		30	61		1	15	4	11	4	12	1	1	5	4	5	14	176	15
Baltimore Oriole Purple Finch					1									1		24		25	2
House Finch	16		4	25	13	3		11	40	1			25	2	21	79	9	249	13
American Goldfinch	24		1	23	21	3		''	51	- 1		5	23	13	5	82	9	207	10
House Sparrow	8		1	6	10	Ŭ		4	11	13		J	3	6	26	27	2	117	12
				_				i					_	Ī			_		
Species	112	75	90	129	77	66	55	115	113	74	114	59	78	102	104	106	80		
Individuals	2860	1070	978	5110	1212	599	452	1856	3086	659	11737	277	1066	829	1142	3475	1806	38214	
Observers	8	4	1	11	12	7	1	7	11	2	14	4	3	2	2	55	4	148	
Parties	11	1	1	6	9	1	1	5	9	2	3	2	3	1	1	27	2	85	

	Aiken	Beaufort	Calhoun	Charleston	Cherokee	Chester	Clarendon	George- town	Greenville	Hampton	Jasper	Lancaster	Lexington	Pickens	Richland	Spartan- burg	Sumter	Total Individuals	# Counties Reporting
Hours foot Hours car Hours boat Hours canoe/kayak Hours bike Hours other	33 19.5 5	1.5 6	1.5 8.5		3.5 8.75	4 3	4	17.3 15.3	48 18 1	21 5.5	8 15.5	1 3	3 12	2 8.5	6 8	52 12.5 3	16 9		
Miles foot Miles car Miles boat Miles canoe/kayak Miles bike Miles other	16 173 2.5	1.5 15	1 45	10 146 10	3 133	4 48		10.3 178	30.5 336	12 146	5 97	12 2		1.5 155	4 135	47.5 261 9	4 128		
Hours feeder watch #Feeder watchers #Feeder stations				4 6 5	18 5 3				2.5 1 1							66.5 31 22	4 2 5		
Hours stationary #Parties stationary #Observers stationary				8 2 4					7 1 1										
Hours owling Miles owling #parties owling #observers owling				1.5 1 2 3				0.25 1 1	1 2 2 2					1 1 2					

159	

		Aiken	Beaufort	Calhoun	Charleston	Cherokee	Chester	Clarendon	George- town	Greenville	Hampton	Jasper	Lancaster	Lexington	Pickens	Richland	Spartan- burg	Sumter	Total Individuals	# Counties Reporting
Time start Time stop			0700 1430							0600 2100		0615 2000			0545 2000	0330		0550 1750		
Time stop			1430	1030	2000	2200	1000	1743	1713	2100		2000	0930	2100	2000	2030		1750		
Temperature	Pre-Dawn		70	60	62	61				61	60			60			61	67		
	Dawn		70	60	64	63				01	62			60		60		67		
	AM		70 80	75 85	75 80	76 82	70 85				72 85	72 85	70	93		83 85		80 86		
	Noon PM		82	90	85	86	90			87	88	86	85 90	93		88		91		
	Sunset				82 80					75	76			89				90 86		
	Night				80					75								00		
Wind	Pre-Dawn		0	0	0													0		
	Dawn		0	0					5		0	0				0		0		
	AM		3-5	0					5		0	0-5				S3		0		
	Noon		3-5	0	ENE 5				5		0	SSE 5-10				S3		0		
	DM		0.5	•	ENE				_		0	SSE				0)4/4		0		
	PM		3-5	0	5 ENE				5		0	5-10 SSE				SW4		0		
	Sunset				0				5		0							0		
	Night				0													0		
%Clouds	5 5			_	0.0	5 40			_	00							F 45			
	Pre-Dawn Dawn			0	30 30				0		0					0	5-10 5-10	0		

	Aiken	Beaufort	Calhoun	Charleston	Cherokee	Chester	Clarendon	George- town	Greenville	Hampton	Jasper	Lancaster	Lexington	Pickens	Richland	Spartan- burg	Sumter	Total Individuals	# Counties Reporting
AM			0	20				0	20	0	0					5-10	0		
Noon PM			10 15	10	5-10 5-10			15 15	20	0 50	0 5				5 30	5-10 5-10	0		
Sunset			13	0	J-10			10	5 5 5	30	3				30	5-10	0		
Night				0					5								0		
Precipitation																			
Pre-Dawn		0	0	0	0	0		0	0	0	0	0		0		0	0		
Dawn		0	0	0	0	0		0	0	0	0	0		0	•	0	0		
AM Noon		0	0	0	0	0		0	0	0	0	0		0	0	0	0		
PM		0	0	0	0	0		0	0	0	0	0		0	0	0	0		
Sunset		0	ő	Ö	0	0		Ö	0	0	0	0		0	0	0	0		
Night		0	0	0	0	0		0	0	0	0	0		0	0	0	0		